

BLU-MOL[®]

PERFORMANCE. VALUE.




PRODUCT CATALOGUE MARCH 2015

BLU-MOL®

BI-METAL HOLESAWS

M42 cobalt bi-metal cutting edge provides shock resistant teeth and resists tooth stripage. 4/6 positive tooth configuration allows for fast, smooth cuts and less vibration.



Boxed packaging

COBALT INDUSTRIAL GRADE STEEL

UP TO **24%** LONGER LIFE

Part No.	Diameter Metric	Diameter Imperial
BM-0509	14mm	9/16"
BM-0510	16mm	5/8"
BM-0511	17mm	11/16"
BM-0512	19mm	3/4"
BM-0513M	20mm	25/32"
BM-0513	21mm	13/16"
BM-0514	22mm	7/8"
BM-0515	24mm	15/16"
BM-0516	25mm	1"
BM-0517	27mm	1-1/16"
BM-0518	29mm	1-1/8"
BM-0519	30mm	1-3/16"
BM-0520	32mm	1-1/4"
BM-0521	33mm	1-5/16"
BM-0522	35mm	1-3/8"
BM-0523	37mm	1-7/16"
BM-0524	38mm	1-1/2"
BM-0525	40mm	1-9/16"
BM-0526	41mm	1-5/8"
BM-0527	43mm	1-11/16"
BM-0528	44mm	1-3/4"
BM-0528M	45mm	--
BM-0529	46mm	1-13/16"
BM-0530	48mm	1-7/8"
BM-0532M	50mm	--
BM-0532	51mm	2"
BM-0533	52mm	2-1/16"
BM-0534	54mm	2-1/8"
BM-0534M	55mm	--
BM-0536	57mm	2-1/4"
BM-0537	59mm	2-5/16"
BM-0538	60mm	2-3/8"
BM-0540	64mm	2-1/2"
BM-0541	65mm	2-9/16"
BM-0542	67mm	2-5/8"
BM-0542M	68mm	--
BM-0544	70mm	2-3/4"
BM-0546	73mm	2-7/8"
BM-0548m	75mm	--
BM-0548	76mm	3"
BM-0550	79mm	3-1/8"
BM-0552	83mm	3-1/4"
BM-0554	86mm	3-3/8"
BM-0556	89mm	3-1/2"
BM-0558	92mm	3-5/8"
BM-0560	95mm	3-3/4"
BM-0562	98mm	3-7/8"
BM-0564M	100mm	--
BM-0564	102mm	4"
BM-0566	105mm	4-1/8"
BM-0568	108mm	4-1/4"
BM-0570	111mm	4-3/8"
BM-0572	114mm	4-1/2"
BM-0576	121mm	4-3/4"
BM-0580	127mm	5"
BM-0588	140mm	5-1/2"
BM-0592	146mm	5-3/4"
BM-0596	152mm	6"

BLU-MOL®

BI-METAL HOLESAW KITS

7 Piece Handyman's Set

PART NO. BM-9595			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-0514	22mm	7/8"
1	BM-0516	25mm	1"
1	BM-0518	29mm	1-1/8"
1	BM-0520	32mm	1-1/4"
1	BM-0524	38mm	1-1/2"
1	-	1/4" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	

9 Piece Locksmith's Set

PART NO. BM-9591			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-0514	22mm	7/8"
1	BM-0516	25mm	1"
1	BM-0520	32mm	1-1/4"
1	BM-0524	38mm	1-1/2"
1	BM-0528	44mm	1-3/4"
1	BM-0534	54mm	2-1/8"
1	-	1/4" Shank Arbor	
1	BM-5545	7/16" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	

9 Piece Electrician's Set

PART NO. BM-9593			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-0514	22mm	7/8"
1	BM-0518	29mm	1-1/8"
1	BM-0522	35mm	1-3/8"
1	BM-0528	44mm	1-3/4"
1	BM-0532	51mm	2"
1	BM-0540	64mm	2-1/2"
1	-	1/4" Shank Arbor	
1	BM-5545	7/16" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	

13 Piece Journeyman's Set

PART NO. BM-9596			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-0512	19mm	3/4"
1	BM-0514	22mm	7/8"
1	BM-0518	29mm	1-1/8"
1	BM-0522	35mm	1-3/8"
1	BM-0524	38mm	1-1/2"
1	BM-0528	44mm	1-3/4"
1	BM-0532	51mm	2"
1	BM-0536	57mm	2-1/4"
1	BM-0540	64mm	2-1/2"
1	-	1/4" Shank Arbor	
1	BM-5545	7/16" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	
1	BM-8535	Replacement Pilot Drill 4-1/4"	



9 Piece Plumber's Kit

PART NO. BM-9592			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-0512	19mm	3/4"
1	BM-0514	22mm	7/8"
1	BM-0518	29mm	1-1/8"
1	BM-0524	38mm	1-1/2"
1	BM-0528	44mm	1-3/4"
1	BM-0536	57mm	2-1/4"
1	-	1/4" Shank Arbor	
1	BM-5545	7/16" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	

9 Piece Electrician's Set - Metric

PART NO. BM-9593M			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-0510	16mm	5/8"
1	BM-0513M	20mm	-
1	BM-0516	25mm	1"
1	BM-0520	32mm	1-1/4"
1	BM-0525	40mm	1-9/16"
1	BM-0532	51mm	2"
1	-	1/4" Shank Arbor	
1	BM-5545	7/16" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	

20 Piece Industrial Set

PART NO. BM-9599			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-0512	19mm	3/4"
1	BM-0514	22mm	7/8"
1	BM-0518	29mm	1-1/8"
1	BM-0522	35mm	1-3/8"
1	BM-0524	38mm	1-1/2"
1	BM-0528	44mm	1-3/4"
1	BM-0532	51mm	2"
1	BM-0536	57mm	2-1/4"
1	BM-0540	64mm	2-1/2"
1	BM-0548	76mm	3"
1	BM-0552	83mm	3-1/4"
1	BM-0558	92mm	3-5/8"
1	BM-0560	95mm	3-3/4"
1	BM-0566	105mm	4-1/8"
1	BM-0572	114mm	4-1/2"
1	-	1/4" Shank Arbor	
1	BM-5545	7/16" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	
1	BM-5500	12" Extensions Bar Suits 7/16" Arbor	
1	BM-8535	Replacement Pilot Drill 4-1/4"	

BI-METAL HOLESAW ACCESSORIES

Accessories for use with our Blu-mol, Blu-mol Xtreme or Remgrit Hole Saws.

Mandrels for Bi-Metal, Carbide Tip and RemGrit Hole Saws



BM-5514 BM-5519 BM-5545 BM-5546 BM-5547 BM-5519RG BM-5546RG

Part No.	Description	To Suit	Shank	To Suit Chuck
BM-5514	Quick Hex Shank Mandrel	Bi-Metal Hole Saws 14 - 30mm Diameter	11/32"	3/8" - 1/2"
BM-5519	Quick Hex Shank Mandrel	Bi-Metal Hole Saws 32 - 100mm Diameter	11/32"	3/8" - 1/2"
BM-5545	Hex Shank, Pin Drive Mandrel	Bi-Metal Hole Saws 32 - 150mm Diameter	7/16"	1/2"
BM-5546	Quick Hex Shank, Pin Drive Mandrel	Bi-Metal Hole Saws 32 - 150mm Diameter	11/32"	3/8" - 1/2"
BM-5547	Hole Enlarger. Allows a smaller hole saw to become the pilot to enlarge an existing hole	Pilot Holesaw 14 - 30mm Enlarged Hole 32 - 150mm	1/4"	1/4"
BM-5519RG	Carbide Quick Hex Shank Mandrel	RemGrit and Carbide Tip Holesaws 14 - 30mm Diameter	11/32"	3/8" - 1/2"
BM-5546RG	Carbide Quick Hex Shank Mandrel	RemGrit and Carbide Tip Holesaws 32 - 150mm Diameter	11/32"	3/8" - 1/2"

Accessories for Bi-Metal, Carbide Tip and RemGrit Hole Saws



BM-6524



BM-6558



BM-DB1




Part No.	Description	To Suit
BM-8534	Pilot Drill. 3-1/4" x 1/4" High Speed Steel. Packed 10/box	BM-5514, BM-5519, BM-5545, BM-5546
BM-6524	Pilot Drill. 3-1/4" x 1/4" High Speed Steel. Packed 1/card	BM-5514, BM-5519, BM-5545, BM-5546
BM-8535	Pilot Drill. 4-1/4" x 1/4" High Speed Steel. Packed 10/box	BM-5545
BM-8538RG	Pilot Drill. 3-1/4" x 1/4" Carbide Tip to suit Remgrit & carbide holesaws. Packed 1/card.	BM-5519RG, BM-5546RG
BM-5511	Arbor thread adaptor. To adapt small arbor BM-5514 for use with larger holesaws 32 - 100mm diameter	BM-5514, BM-5519RG
BM-6558	3/8" x 12" Extension	BM-5514, BM-5519, BM-5545, BM-5546 BM-5519RG, BM-5546RG
BM-5500	7/16" x 12" Extension. Packed 1/box.	BM-5545
BM-DB-1	Dust bowl. Bowl collects dust and debris while driving overhead. Packed individually.	All Holesaws

BLU-MOL®

SHEET METAL HOLESAWS



Ideal for the electrical and plumbing tradesman, construction, aircraft, maintenance and automotive applications. Holesaw has a thin 0.5 mm (0.02") sidewall blade thickness, allowing for faster cutting and longer battery life. Ideal for chargeable impact drivers. Use in thin applications of mild steel, brass, aluminum, stainless steel or plastic.



Part No.	Diameter Metric	Diameter Imperial
BM-6918	16mm	5/8"
BM-6919	19mm	3/4"
BM-6920	20mm	--
BM-6921	22mm	7/8"
BM-6922	25mm	1"
BM-6923	27mm	1-1/16"
BM-6924	29mm	1-1/8"
BM-6925	30mm	1-3/16"
BM-6926	32mm	1-1/4"
BM-6927	35mm	1-3/8"
BM-6928	38mm	1-1/2"



SMOOTH AND FAST CUTTING
Specially designed tooth geometry assures increased performance and better wear resistance.



THE POWER OF THE THIN BLADE
Lightweight blades maximize the use of chargeable impact drivers by using a reduced motor and operation load.



SAFETY COLLAR STOP
Safety collar stop helps prevent cutting too deep.



SAFETY COLLAR STOP
Safety collar stop helps prevent damage to wires when drilling into electrical boxes.



CARBIDE TIPPED HOLESAWS

Carbide tip allows for greater heat and wear resistance than bi-metal, and provides up to 10 times greater tool life on abrasive materials. Ideal for plumbing, marine and aircraft applications. For use when cutting wood laminates, fiberglass, plywood and tile.



Part No.	Diameter Metric	Diameter Imperial
BM-C11	17mm	11/16"
BM-C12	19mm	3/4"
BM-C14	22mm	7/8"
BM-C16	25mm	1"
BM-C18	29mm	1-1/8"
BM-C20	32mm	1-1/4"
BM-C22	35mm	1-3/8"
BM-C24	38mm	1-1/2"
BM-C26	41mm	1-5/8"
BM-C28	44mm	1-3/4"
BM-C32	51mm	2"
BM-C34	54mm	2-1/8"
BM-C36	57mm	2-1/4"
BM-C38	60mm	2-3/8"
BM-C40	64mm	2-1/2"
BM-C41	65mm	2-9/16"
BM-C42	67mm	2-5/8"
BM-C48	76mm	3"
BM-C52	83mm	3-1/4"
BM-C54	86mm	3-3/8"
BM-C56	89mm	3-1/2"
BM-C58	92mm	3-5/8"
BM-C60	95mm	3-3/4"
BM-C64	102mm	4"
BM-C66	105mm	4-1/8"
BM-C68	108mm	4-1/4"
BM-C72	114mm	4-1/2"
BM-C76	121mm	4-3/4"
BM-C80	127mm	5"
BM-C88	140mm	5-1/2"
BM-C96	152mm	6"



Blu-Mol Xtreme Carbide Tipped Holesaw Kit

PART NO. BM-C9596			
Quantity	Part No.	Diameter Metric	Diameter Imperial
1	BM-C12	19mm	3/4"
1	BM-C14	22mm	7/8"
1	BM-C18	29mm	1-1/8"
1	BM-C22	35mm	1-3/8"
1	BM-C24	38mm	1-1/2"
1	BM-C28	44mm	1-3/4"
1	BM-C32	51mm	2"
1	BM-C36	57mm	2-1/4"
1	BM-C40	64mm	2-1/2"
1	BM-5519RG	1/4" Shank Arbor	
1	BM-5546RG	7/16" Shank Arbor	
1	BM-5511	Arbor Thread Adaptor	
1	BM-8538RG	Replacement Pilot Drill 3-1/4"	

BLU-MOL®

CARBON STEEL HOLESAW KITS

Specifically developed for the occasional user. Patented arbored design is packaged in clamshells. Holesaws and accessories also available in convenient sets. Ideal for home, general maintenance and light duty applications. For use in wood, wallboard, and plastic.



BM-C6560

Blu-Mol 5 Piece Carbon Holesaw Kit

PART NO. BM-C6560		
Quantity	Diameter Metric	Diameter Imperial
1	32mm	1-1/4"
1	38mm	1-1/2"
1	44mm	1-3/4"
1	54mm	2-1/8"
1	1/4" Quick Shank Arbor	
1	Plastic Storage Tube	



BM-C6561

Blu-Mol 7 Piece Carbon Holesaw Kit

PART NO. BM-C6561		
Quantity	Diameter Metric	Diameter Imperial
1	32mm	1-1/4"
1	35mm	1-3/8"
1	38mm	1-1/2"
1	44mm	1-3/4"
1	51mm	2"
1	54mm	2-1/8"
1	1/4" Quick Shank Arbor	
1	Plastic Storage Case	



CARBIDE GRIT HOLESAWS

Cuts extremely hard abrasive materials: Laminates, fiberglass, ceramic tile, marble, slate, cast iron and composites. Cutting edge of tungsten carbide particles bonded to alloy steel back. High heat and abrasion resistance, no teeth to dull or chip, resists snagging, smooth cutting, greater wear resistance. Ideal for plumbing, construction, marine and aircraft applications.



5 mm (3/16") thick heavy-duty backing plate eliminates drive hole elongation and the need for drive plate.

37 mm (1-7/16") depth of cut

RemGrit hole saws (without arbors) feature a gulletted edge.



Part No.	Diameter Metric	Diameter Imperial
BM-G010M	16mm	5/8"
BM-G012	19mm	3/4"
BM-G013M	20mm	--
BM-G014	22mm	7/8"
BM-G016	25mm	1"
BM-G018	29mm	1-1/8"
BM-G020	32mm	1-1/4"
BM-G022	35mm	1-3/8"
BM-G024	38mm	1-1/2"
BM-G028	44mm	1-3/4"
BM-G030	48mm	1-7/8"
BM-G032	51mm	2"
BM-G034	54mm	2-1/8"
BM-G036	57mm	2-1/4"
BM-G038	60mm	2-3/8"
BM-G040	64mm	2-1/2"
BM-G044	70mm	2-3/4"
BM-G048	76mm	3"
BM-G052	83mm	3-1/4"
BM-G054	86mm	3-3/8"
BM-G060	95mm	3-3/4"
BM-G064	102mm	4"
BM-G072	114mm	4-1/2"

CARBIDE GRIT ARBORED HOLESAWS

RemGrit arbored hole saws feature a continuous grit edge

1/4" quick change shank

22 mm (7/8") depth of cut



Part No.	Diameter Metric	Diameter Imperial
BM-OGC16BL	25mm	1"
BM-OGC20BL	32mm	1-1/4"
BM-OGC24BL	38mm	1-1/2"
BM-OGC28BL	44mm	1-3/4"
BM-OGC32BL	51mm	2"
BM-OGC34BL	54mm	2-1/8"
BM-OGC36BL	57mm	2-1/4"
BM-OGC40BL	64mm	2-1/2"

LOCK INSTALLATION KITS

Part No.	Description
BM-6575	Blu-Mol Door Latch Mortise Tool
BM-6556	Blu-Mol Xtreme Bi-Metal Lock Installation Kit Includes: 1 each 1" & 2-1/8" hole saws, assembled mandrel and mandrel adapter
BM-6574	Blu-Mol Xtreme Bi-Metal Lock Installation Kit Includes: 1 each 1" & 2-1/8" hole saws, assembled mandrel and mandrel adapter, Lock Installation Guide



BM-6575



BM-6574



BM-6556

Wood Cutting

- For cutting nail embedded wood, railroad ties and other tough materials
- Wider (22mm) and thicker (1.6mm) blades for demolition work
- Available in 150mm, 230mm and 305mm lengths with 1/2" universal shanks



Part No.	Dimensions Metric	Dimensions Imperial	Teeth Per Inch	Qty
BULK PACKAGING				
BM-6486	150 x 22 x 1.60mm	6 x 7/8 x .062"	6	Bulk
BM-6487	230 x 22 x 1.60mm	9 x 7/8 x .062"	6	Bulk
BM-6488	305 x 22 x 1.60mm	12 x 7/8 x .062"	6	Bulk
10 PACK TUBE PACKAGING				
BM-6486-10	150 x 22 x 1.60mm	6 x 7/8 x .062"	6	10 Pack
BM-6487-10	230 x 22 x 1.60mm	9 x 7/8 x .062"	6	10 Pack
BM-6488-10	305 x 22 x 1.60mm	12 x 7/8 x .062"	6	10 Pack

Metal Cutting

- For cutting pipe, angle iron, nail embedded wood and structural steel
- Wider (25mm) and thicker (1.1mm) blades for demolition work
- Available in 150mm, 230mm and 305mm lengths with 1/2" universal shanks



Part No.	Dimensions Metric	Dimensions Imperial	Teeth Per Inch	Qty
BULK PACKAGING				
BM-6489	150 x 25 x 1.10mm	6 x 1 x .042"	14	Bulk
BM-6490	230 x 25 x 1.10mm	9 x 1 x .042"	14	Bulk
BM-6491	305 x 25 x 1.10mm	12 x 1 x .042"	14	Bulk
10 PACK TUBE PACKAGING				
BM-6489-10	150 x 25 x 1.10mm	6 x 1 x .042"	14	10 Pack
BM-6490-10	230 x 25 x 1.10mm	9 x 1 x .042"	14	10 Pack
BM-6491-10	305 x 25 x 1.10mm	12 x 1 x .042"	14	10 Pack

Bi-metal Demolition Reciprocating Saw Blade Merchandiser

Dimensions: 190mm (W) x 470mm (H)

Part No.	Description
BM-DISPLAY02	5 each of 6"x 6T, 9"x 6T, & 12"x 6T, Wood Cutting blades, 5 each of 6"x 14T, 9"x 14T, & 12"x 14T Metal Cutting blades, Rack & Header



BLU-MOL®


BI-METAL RECIPROCATING SAW BLADES

Reciprocating saw blades are designed for efficient cutting in a wide variety of materials including wood, metal and plastic. 1/2" universal shank that fits all standard 1/2" shank reciprocating saws. Designed for quick and accurate cutting.



Wood Cutting

Part No.	Dimensions Metric	Dimensions Imperial	Teeth Per Inch	Qty
SINGLE CARDED PACKAGING				
BM-6469	150 x 19 x 1.30mm	6 x 3/4 x .050"	5/7	1
BM-6446	150 x 19 x 1.30mm	6 x 3/4 x .050"	6	1
BM-6462	150 x 19 x 1.30mm	6 x 3/4 x .050"	10	1
BM-6447	230 x 19 x 1.30mm	9 x 3/4 x .050"	6	1
BM-6448	300 x 19 x 1.30mm	12 x 3/4 x .050"	6	1
5 PACK TUBE PACKAGING				
BM-6481-5T	150 x 19 x 1.30mm	6 x 3/4 x .050"	5/7	5 pack
BM-6480-5T	150 x 19 x 1.30mm	6 x 3/4 x .050"	6	5 pack
BM-6478-5T	150 x 19 x 1.30mm	6 x 3/4 x .050"	10	5 pack
BM-6482-5T	230 x 19 x 1.30mm	9 x 3/4 x .050"	6	5 pack
BM-6483-5T	305 x 19 x 1.30mm	12 x 3/4 x .050"	6	5 pack



Metal Cutting

Part No.	Dimensions Metric	Dimensions Imperial	Teeth Per Inch	Qty
SINGLE CARDED PACKAGING				
BM-6461	90 x 8 x 0.90mm	3 x 5/16 x .035" scroll	14	1
BM-6455	150 x 19 x 0.90mm	6 x 3/4 x .035"	14	1
BM-6445	150 x 19 x 0.90mm	6 x 3/4 x .035"	18	1
BM-6457	150 x 19 x 0.90mm	6 x 3/4 x .035"	24	1
BM-6449	200 x 19 x 0.90mm	8 x 3/4 x .035"	18	1
BM-6466	230 x 19 x 0.90mm	9 x 3/4 x .035"	14	1
BM-6473	305 x 19 x 0.90mm	12 x 3/4 x .035"	18	1
5 PACK TUBE PACKAGING				
BM-6955-5T	90 x 8 x 0.90mm	3 x 5/16 x .035" scroll	14	5 pack
BM-6475-5T	150 x 19 x 0.90mm	6 x 3/4 x .035"	14	5 pack
BM-6476-5T	150 x 19 x 0.90mm	6 x 3/4 x .035"	18	5 pack
BM-6477-5T	150 x 19 x 0.90mm	6 x 3/4 x .035"	24	5 pack
BM-6961-5T	200 x 19 x 0.90mm	8 x 3/4 x .035"	18	5 pack
BM-6958-5T	230 x 19 x 0.90mm	9 x 3/4 x .035"	14	5 pack
BM-6474-5T	305 x 19 x 0.90mm	12 x 3/4 x .035"	18	5 pack

All Purpose

Part No.	Dimensions Metric	Dimensions Imperial	Teeth Per Inch	Qty
SINGLE CARDED PACKAGING				
BM-6463	200 x 19 x 0.90mm	8 x 3/4 x .035	10/14	1
BM-6498	300 x 19 x 1.30mm	12 x 3/4 x .050	10/14	1
BM-6499	300 x 19 x 1.30mm	12 x 3/4 x .050 taper	10/14	1
5 PACK TUBE PACKAGING				
BM-6479-5T	200 x 19 x 0.90mm	8 x 3/4 x .035	10/14	5 pack
BM-6959-5T	300 x 19 x 1.30mm	12 x 3/4 x .050	10/14	5 pack
BM-6960-5T	300 x 19 x 1.30mm	12 x 3/4 x .050 taper	10/14	5 pack



BLU-MOL®

BI-METAL RECIPROCATING SAW BLADE MERCHANDISER

Dimensions: 380mm (W) x 465mm (H)

Part No.	Description
BM-DISPLAY03	10/tube of 6" X 6T & 9" X 6T Xtreme Wood Cutting, 10/tube of 6" X 14T & 9" X 14T Xtreme Metal Cutting, 5/tube of 6" X 6T, 9" X 6T, & 6" X 10T Standard Wood Cutting, 5/tube of 6" X 14T, 6" X 18T, & 6" X 24T Standard Metal Cutting, 5/tube of 8" X 10/14T & 12" X 10/14T Standard All-Purpose Cutting, Rack & Header



RemGrit®

CARBIDE GRIT RECIPROCATING SAW BLADES

Cuts extremely hard abrasive materials. The cutting edge of tungsten carbide particles is permanently bonded to an alloy steel back. These blades have high heat and abrasion resistance. There are no teeth to dull or chip and the blades cut on both strikes. Resists snagging and are always smooth cutters.



Part No.	Dimensions Metric	Dimensions Imperial	Grit	Qty
BM-GR24BL	150 x 19 x 0,90mm	6 x 3/4 x .032"	Coarse	1 Carded
BM-GR26BL	200 x 19 x 0,90mm	8 x 3/4 x .042"	Coarse	1 Carded

BLU-MOL®

BI-METAL AIR SAW BLADES

Specially designed blades for use in pneumatic powered saws



Part No.	Dimensions Metric	Dimensions Imperial	Teeth Per Inch	Qty
BM-6982	75 x 12.5 x 0.64mm	3 x 1/2 x .025"	18	5 pack
BM-6983	75 x 12.5 x 0.64mm	3 x 1/2 x .025"	24	5 pack
BM-6984	75 x 12.5 x 0.64mm	3 x 1/2 x .025"	32	5 pack
BM-6985	100 x 12.5 x 0.64mm	4 x 1/2 x .025"	18	5 pack
BM-6986	100 x 12.5 x 0.64mm	4 x 1/2 x .025"	32	5 pack
BM-6987	125 x 12.5 x 0.64mm	5 x 1/2 x .025"	18	5 pack

Air Saw Blade Set


Part No.	Description
BM-6472	4 Piece set includes (1) each of the following blades: 3" x 18T, 3" x 24T, 3" x 32T, 4" x 32T



BLU-MOL®

BI-METAL HACKSAW BLADES

Bi-metal hacksaw blades for heavy duty cutting. Cut medium gauge metals (1/16" to 1/4") such as sheet metal, angle iron, bolts, channels, drill rods, threaded rod, pipes and tubing. Blade is shatter resistant.



Part No.	Dimensions Metric	Dimensions Imperial	Teeth Per Inch	Qty
2 PACK CARDED PACKAGING				
BM-1218UL-2	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	18	2 pack
BM-1224UL-2	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	24	2 pack
BM-1232UL-2	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	32	2 pack
BM-1216VT-2	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	14/18	2 pack
BM-1220VT-2	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	18/24	2 pack
BM-1228VT-2	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	24/32	2 pack
100 PACK TUBE PACKAGING				
BM-1218UL	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	18	100 pack
BM-1224UL	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	24	100 pack
BM-1232UL	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	32	100 pack
BM-1220VT	305 x 12.5 x 0.64mm	12 x 1/2 x .025"	18/24	100 pack



CARBIDE GRIT HACKSAW BLADE

Carbide particles bonded to a steel blade. This saw cuts extremely abrasive materials with no teeth to chip or dull. Carbide grit offers the greatest wear and heat resistance. Cuts on both strokes.




Part No.	Dimensions Metric	Dimensions Imperial	Grit	Qty
BM-GH12	305 x 19 x 0.64mm	12 x 3/4 x .025"	Medium	1

CARBIDE GRIT ROD SAW BLADE

Carbide particles bonded to an alloy steel rod. This saw cuts extremely abrasive materials with no teeth to chip or dull. Carbide grit offers the greatest wear and heat resistance. Ideal for materials that other saws will not cut. Rod design gets into tight areas and cuts on both strokes. Fits any standard hack frame.



Part No.	Dimensions Metric	Dimensions Imperial	Grit	Qty
BM-GG12	300 x 2.5mm	12 x .100"	Standard	1



FIT-AL SHANK

Tile, Cast Iron and Fiberglass Cutting

- High speed steel blade type



Part No.	Length Metric	Length Imperial	Type of Cut	Teeth Per Inch	Qty
BM-6464	73mm	2-7/8"	Smooth	Grit	2 pack

Wood and Metal Cutting

- High speed steel blade type



Part No.	Length Metric	Length Imperial	Type of Cut	Teeth Per Inch	Qty
BM-6420	89mm	3-1/2"	Rough	6	2 pack
BM-6421	89mm	3-1/2"	All Purpose	10/14	2 pack
BM-6422	89mm	3-1/2"	All Purpose	12	2 pack

Metal Cutting

- High speed steel blade type




Part No.	Length Metric	Length Imperial	Type of Cut	Teeth Per Inch	Qty
BM-6425	76mm	3"	Rough	14	2 pack
BM-6423	76mm	3"	All Purpose	18	2 pack
BM-6424	76mm	3"	Smooth	24	2 pack



FIT-AL SHANK

Wood Cutting

- Carbon blade type



Part No.	Length Metric	Length Imperial	Type of Cut	Teeth Per Inch	Blade Type	Qty
BM-6453	70mm	2-3/4" Flush	Flush	8	Carbon	2 pack
BM-6441	70mm	2-3/4"	Rough	10	Carbon	2 pack
BM-6417	70mm	2-3/4"	All Purpose	10	Carbon	2 pack
BM-6406	70mm	2-3/4" Scroll	Smooth	14	Carbon	2 pack
BM-6444	70mm	2-3/4" Scroll	Smooth	19	Carbon	2 pack
BM-6412	79mm	3-1/8"	Rough	6	Carbon	2 pack
BM-6418	79mm	3-1/8"	Smooth	10	Carbon	2 pack
BM-6411	79mm	3-1/8" Scroll	Smooth	10	Carbon	2 pack
BM-6465	79mm	3-1/8" Reverse Tooth	Smooth	12	Carbon	2 pack
BM-6401	89mm	3-1/2"	Rough	6	Carbon	2 pack
BM-6407	89mm	3-1/2"	All Purpose	10	Carbon	2 pack
BM-6403	102mm	4" Flush	Smooth	8	Carbon	2 pack
BM-6428	105mm	4-1/8"	Rough	8	Carbon	2 pack
BM-6434	152mm	6"	Rough	6	Carbon	2 pack

BLU-MOL®

BI-METAL JIGSAW BLADES



Plaster and Drywall Cutting

- Carbon blade type




Part No.	Length Metric	Length Imperial	Type of Cut	Teeth Per Inch	Qty
BM-6419	92mm	3-5/8"	All Purpose	8	2 pack



Formica Cutting


- Carbon blade type



Part No.	Length Metric	Length Imperial	Type of Cut	Teeth Per Inch	Qty
BM-6408	79mm	3-1/8"	Smooth	10	2 pack

Bi-Metal Jigsaw Blade Sets - U SHANK TYPE

Blu-Mol Jig Saw blade assorted sets give you the right blades for any project you might have. Each set has been expertly matched to cut traditional wood, plastic or metal materials, from thin to thick, rough to smooth cut.



Part No.	Description	Type of Cut	Material
BM-6426	3Pc Bi-Metal Blades: (1) 3" x 14T, (1) 3" x 18T, (1) 3" x 24T	All Purpose	Metal
BM-6440	5Pc Carbon Blades: (1) 3-1/2" x 6T, (2) 3-1/2" x 10T, (2) 2-3/4" x 14T scroll	All Purpose	Wood
BM-6443	5Pc Bi-Metal Blades: (2) 3" x 14T, (2) 3" x 18T, (1) 3" x 24T	All Purpose	Metal
BM-6427	7Pc Bi-Metal Blades: (2) 3-1/2" x 6T, (2) 3-1/2" x 10/14T, (1) 3" x 14T, (1) 3" x 18T, (1) 3" x 24T	All Purpose	Wood & Metal
BM-6433	10Pc Carbon Blades: (2) 3-1/2" x 6T, (2) 3-1/2" x 10T, (1) 3-1/8" x 10T, 2-3/4" x 10T, (1) 2-3/4" x 14T scroll HSS Blades: (1) 2-3/4" x 12T, (1) 2-3/4" x 18T, (1) 2-3/4" x 21T	All Purpose	Wood & Metal
BM-6442	12Pc Carbon Blades: (2) 3-1/2" x 6T, (2) 3-1/2" x 10T, (2) 2-3/4" x 14T scroll, Bi-Metal Blades: (1) 3-1/2" x 10/14T, (2) 3" x 14T, (2) 3" x 18T, (1) 3" x 24T	All Purpose	Wood & Metal



PRODUCTS IMPORTED AND DISTRIBUTED NATIONALLY BY:



INDUSTRIAL TOOL & MACHINERY SALES

18 BUSINESS ST, YATALA QLD 4207

T: 07 3287 1114 E: sales@industrialtool.com.au

F: 07 3287 1115 W: www.industrialtool.com.au



TERMS OF SALE

1. Prices & Specifications are subject to change without notice.
2. All prices within the Blu-mol pricelist Do Not Include GST, which will be shown separately on Tax Invoices as per ATO requirements.
3. Recommended Retail Prices are shown only for guidance of distributors.
4. Trading Terms are strictly 30 days to established accounts only.
5. Title does not pass on goods invoiced until payment is made in full.
6. Claims will not be recognised after 7 days from delivery of goods. Returns must be first authorised by our office, freight pre-paid, showing documents with the original invoice number. Returns are subject to 10% re-stocking fee unless prior arrangements have been made. Returns will only be accepted if goods are received in an unused and resalable condition.

FREIGHT

Freight subsidies & F.I.S. deliveries depend on product, invoice value, delivery area and can be negotiated at the time of order.

BLU-MOL®