

<u>TRADEMASTER</u>

300mm x 180mm Capacity Bandsaw

. Swivel vice enables 0° to 45° mitre cuts . Taiwanese made machine . Hydraulic downfeed

• 1HP, 240V • 4 speed belt drive . Round cut capacity: 90°: 180mm, 45°: 110mm UE712A



TRADEMASTER

170mm x 170mm Capacity Swivel Head Bandsaw

Swivel head 0° to 60° • Taiwanese

made machine . Hydraulic down feed · Round cut capacity: 90°: 170mm. 45°: 120mm • 1HP, 240V, 1 speed WP210SH-1





350mm Swivel

Head Coldsaw Swivel head 45° left & right

- . Double vice . 3.2HP, 415V
- 2 Speed Round cut capacity: 90°: 110mm, 45°: 80mm NEW350EDV-3



TRADEMASTER

Forged Steel Clamp Span x Depth : 300 x 140mm

- . Clamping force: 670kg . Large
- range available up to 1500mm span
- . Nickel & chrome plating EC-G30CS



Geared Head Drilling & Milling Machine

Quality precision machine for drilling, milling & tapping • # 4 Morse taper spindle • Micro feed precision . Geared head tilts 90° right & left • Forward and reverse operation

- · Recirculating coolant system · 40mm capacity . 1.5HP motor . 6 speed gearbox
- 1770mm heigh 320kg Accessories include arbor, drill chuck, drill sleeves TGMD400-1



TRADEMASTER

Fabricated Steel Bench Vice

- 150mm Offset Jaw
- · Extra heavy-duty · Precise sliding jaw · Precision machined knurled jaws with V-Groove • Large diameter screw • 25kg TM104-150



Holemaker Pro 35 Magnetic Base Drill

- · Quality, Compact & Robust European Made Machine
- Capacity (diameter) 35mm Capacity (depth) 52mm · Lightweight, only 10kg! · Ideal for onsite & overhead
- tasks . Through cutter coolant system with magnetically attached coolant bottle . Dual rail slide system . Comes complete in plastic carry case HMPR035

TRADEMASTER



Pedestal Drill

Capacity: 16mm • Chuck: 16mm B16 • Spindle: #2MT • Motor: 3/4HP. 240V . Gearbox: 16 speed . Height: 1580mm • Weight : 60kg TD1316F



· 4 wheel drive with magnetic base allows for vertical welding • 16 - 22mm diameter torch holder • Constant and repeatable travel speed with closed loop stabilization system enables weld bead geometery that is exact to the required specifications • 240V WA-GECKO

FREIGHT CHARGES MAY APPLY, PRICES INCLUDE GST



TRADEMASTER

300mm x 180mm Capacity Bandsaw

- . Swivel vice enables 0° to 45° mitre cuts . Taiwanese made machine . Hydraulic downfeed . 1HP. 240V
- 4 speed belt drive Round cut capacity: 90°: 180mm, 45°: 110mm UE712A



170mm x 170mm Capacity Swivel Head Bandsaw

- · Swivel head 0° to 60° · Taiwanese made machine
- · Hydraulic down feed
- . Round cut capacity: 90°: 170mm, 45°: 120mm
- 1HP, 240V, 1 speed (WP210SH-1) or
- 1HP, 415V, 2 speed (WP210SH-3)



220mm x 220mm Capacity Swivel Head Bandsaw

- . Swivel head 0° to 60° . Taiwanese made machine
- · Hydraulic down feed
- . Round cut capacity: 90°: 227mm, 45°: 150mm
- 1.5HP, 240V, 1 speed (WP270SH-1) or

1.5HP, 415V, 2 speed (WP270SH-3)



220mm x 220mm Capacity

- 2 Way Swivel Head Bandsaw • 2 way swivel head 0° to 60° • Taiwanese made machine
- · Hydraulic down feed
- . Round cut capacity: 90°: 227mm, 45°: 150mm
- 1.5HP, 240V, 1 speed (WP275DS-1) or • 1.5HP, 415V, 2 speed (WP275DS-3)



310mm x 210mm Capacity 2 Way Swivel Head Bandsaw

• 2 way swivel head 0° to 60° • Taiwanese made machine . Hydraulic down feed . 2HP, 415V . 2 speed . Round cut capacity: 90°: 250mm, 45°: 200mm WP310DS-3



350mm x 220mm Capacity 2 Way Swivel Head Bandsaw

• 2 way swivel head 0° to 60° • Taiwanese made machine • Hydraulic down feed • 2HP, 415V • 2 speed • Round cut capacity : 90° : 270mm, 45° : 240mm **WE350DS-3**



350mm x 220mm Capacity Semi-Auto Swivel Head Bandsaw

• 2 way swivel head 0° to 60° • Taiwanese made machine . Semi-auto operation . 2HP, 415V . 2 Speed . Remote safety stop switch . Round cut capacity : 90° : 270mm, 45°R : 240mm WE350DSA-3



2 Way Industrial Swivel Head Bandsaw

. Italian made quality . 2 way swivel head 0° to 60°

. Hydraulic down feed . Round cut capacity : 90°: 260mm, 45°: 225mm

 1.5HP, 240V, 1 speed 1.5HP, 415V, 2 speed (MB-330CSO-1) (MB-330CSO-3)



Industrial Swivel Head Bandsaw · 2 way swivel head 0° to 60° · Semi automatic operation

• 1.5HP, 415V • 2 Speed • Round cut capacity :

90°: 260mm, 45°: 225mm MB-330MS-3



Swivel Head Bandsaw

• Italian made quality • 2 way swivel head 0° to 60° • Hydraulic down feed • 2HP, 415V • 2 speed • Round cut capacity : 90°: 300mm, 45°: 240mm MB-411CSO



400mm x 200mm Capacity Semi-Auto Swivel Head Bandsaw

• Italian made quality • 2 way swivel head 0° to 60° • Semi-auto operation • 2HP, 415V • 2 speed • Round cut capacity: 90°: 300mm, 45°: 240mm MB-411MS-3



Semi-Auto Swivel Head Bandsaw

· 2 way swivel head 0° to 60° · Semi automatic operation • 2HP. 415V • 2 Speed • Round cut capacity : 90°: 400mm, 45°: 400mm MB-420DI-3



620mm x 450mm Capacity 2 Way Semi-Auto Swivel Head Bandsaw

· Italian made quality · 2 way swivel head 0° to 60° · Semiauto operation • 2.95HP, 415V • Variable speed • Round cut capacity: 90°:460mm, 45°:450mm MB-650DI-3

H Conveyors			Image shows 1x RS300X3 & 3x RS300	TRADEMASTER.		
Part No.	Roller Width	Length	Price			
RS300X15	300mm	1500mm	\$267.00	W H		1
RS300X3	300mm	3000mm	\$445.00	114		
RS450X15	450mm	1500mm	\$309.00	-		
RS450X3	450mm	3000mm	\$552.00		RS-002	RS-005

Stands • 3 stands required per conveyor

ı	Part No.	Width	Adjustable Height	Price
ĺ	RS300	300mm	715mm - 1050mm	\$92.00
	RS450	450mm	715mm - 1050mm	\$104.00



Part No.	Roller	Adjustable	Number of	Price
	Width	Height	Rollers	
RS-002	352mm	580 - 980mm	1	\$144.00
RS-005	128mm	560 - 960mm	2	\$144.00



250mm Swivel Head Coldsaw

- . Italian made quality . Swivel head 45° left & right . Double vice . Round cut capacity: 90°: 70mm,
- 45°: 65mm 1.2HP, 240V, 1 speed (NEW250DV-1) or
- 1.75HP, 415V, 2 speed (NEW250DV-3)



- . Italian made quality . Swivel head 45° left & right . Round cut capacity: 90°: 90mm, 45°: 90mm
- 2HP, 240V, 1 speed (TRS300-1) or
- 3HP, 415V, 2 speed (TRS300-3)



315mm Swivel Head Coldsaw

- . Italian made quality . Swivel head 45° left & right . Double
- vice Round cut capacity : 90° : 90mm, 45° : 80mm 2HP, 240V, 1 speed (TRS315EDV-1) or
- 3HP, 415V, 2 speed (TRS315EDV-3)



350mm Swivel Head Coldsaw

- . Italian made quality . Swivel head 45° left & right • 3.2HP, 415V • 2 Speed • Round cut capacity :
- 90°: 110mm, 45°: 90mm NEW350E-3

NTS315-3



350mm Swivel Head Coldsaw

· Swivel head 45° left & right · Double vice · 3.2HP 415V . 2 Speed . Round cut capacity: 90°: 110mm, 45°: 80mm NEW350EDV-3



350mm Semi-Auto Coldsaw

· Italian made quality · Semi-auto operation · Swivel head 45° left & right . Double vice . 3.2HP, 415V . 2 Speed . Round cut capacity: 90°: 110mm, 45°: 80mm NEW350S-3



TRADEMASTER

350mm Cold Cut T.C.T. Saw

• Cuts through RHS steel up to 120mm x 120mm • Offers an accurate, fast & clean cold cut . 3HP, 240V motor • 90° - 45° swivel vice • Supplied with T.C.T. mild steel blade \$14



- . Italian made quality . Swivel head 45° left & right
- Trigger switch operation Quick locking vice 7.4HP. 415V, single speed 3800rpm . Round cutting capacity: 90°: 130mm, 45°: 120mm • Blade not included TV400-3



Holemaker

Holemaker Pro 35 Magnetic Base Drill

- · Quality, Compact & Robust European Made Machine
- · Capacity (diameter) 35mm · Capacity (depth) 52mm · Lightweight, only 10kg! · Ideal for onsite & overhead tasks . Through cutter coolant system with magnetically attached coolant bottle . Dual rail slide system . Comes complete in plastic carry case HMPR035



Holemaker Pro 40

- Magnetic Base Drill · Versatile Machine
- · Capacity (diameter) 40mm
- . Optional 13mm twist drill chuck . Through cutter coolant

· Capacity (depth) 52mm system • 12.5kg • European made HMPRO40



Holemaker

Holemaker Pro 50

- Magnetic Base Drill
- · Capacity (diameter) 52mm
- · Capacity (depth) 52mm • #2 Morse taper spindle
- Powerful 1260W motor & 2 spd gearbox • 16.5kg . European made HMPR050



Holemaker

Holemaker Pro 75 Magnetic Base Drill

- · Capacity (diameter) 75mm
- . Capacity (depth) 75mm (110mm optional) • 32mm #3MT drill bit capacity . 2 spd gearbox with variable speed 80 to 160rpm; 210 to 420rpm • 1650W motor output with soft start . European made HMPR075



Holemaker

Holemaker Pro 110 Large Capacity

- Heavy Duty Magnetic Base Drill
- · Capacity (diameter) 110mm . Capacity (depth) 75mm
- (110mm with optional arbor) 4 speed mechanical gearbox
- . 1650W motor output
- European made HMPR0110

#2 Morse Taper.

Machine



Holemaker

Holemaker Pro 36 AD

Ultra Low Profile Magnetic Base Drill . Constant working height of 176mm . Quality European made machine . Capacity (diameter) 36mm . Capacity (depth) 30mm • 9.5kg HMPR036AD

Holemaker



Holemaker 35 Pneumatic

Pneumatic Powered Angle Drive Machine

- . Capacity (diameter) 35mm . Capacity (depth) 25mm . Constant working height of 183mm . Motor certified ATEX
- II2G/D C IIC T6: T4 motor for areas with risk of explosion Fully ATEX model also avilable • European made HMP35AD

Holemaker

European made HMP45



Holemaker Gold Series **Annular Cutters**

· Available in 1mm increments from 12 to 52mm diameter • Titanium nitride coating. M2AL high speed steel material • Step hardened process · Multi-cut geometry · Fully ground with internal relief . Universal shank Available in sizes: 12 - 60mm diameter, 25 to 75mm depth of cut

Holemaker

Part No.	Diameter	Depth	Price
AT1225	12mm	25mm	\$42.50
AT1425	14mm	25mm	\$43.50
AT1625	16mm	25mm	\$47.00
AT1825	18mm	25mm	\$48.50
AT2025	20mm	25mm	\$51.00
AT2225	22mm	25mm	\$58.50
AT2425	24mm	25mm	\$63.50



Holemaker Maxi-Cut Tct Annular Cutters

As well as providing excellent life in mild steel, Tungsten Carbide Tipped Cutters are suitable for drilling difficult materials eg. stainless steel, Bisalloy and wear plate.

Available in sizes:

- 12 90mm in 1mm increments
- . Available up to 150mm diameter Available in 35, 50, 75, 100 & 150mm depth of cut

Part No.	Diameter	Depth	Price
MAX50-18	18mm	50mm	\$100.00
MAX50-22	22mm	50mm	\$105.00
MAX50-32	32mm	50mm	\$150.00
MAX50-50	50mm	50mm	\$200.00
MAX50-60A	60mm	50mm	\$220.00





Portable Double Action Hydraulic Punch

· Max. plate thickness : 16mm · Max. throat depth : 110mm • Max. hole : Ø 27mm • Max. oval hole : 25 x 18mm • Punching time : 8 seconds • Punching power : 47 ton • Working pressure : 10152 PSI • Weight : 35kg Quality European manufacture • PRO60HP 35 Tonne punch also available WA-HPPR0110HP





 Motor: 1500W, 240V • Working pressure: 10152 PSI · Pump output : 1.5L/min · Oil capacity : 10L · Quality European manufacture . Suitable for use with Portable Hydraulic Punch (not included) WA-HPP700

Bench & Pedestal Drills

- · Quality casting, construction & componentry
- · Emergency stop NVR safety switch · Chuck safety guard . Drill chuck & arbor . Drill drift (on MT models)

<u>TRADEMASTER</u>



Bench Drill 13mm Capacity

- Chuck: 13mm B16
- Motor: 1/2HP, 240V
- · Gearbox: 5 speed
- · Height: 680mm
- · Weight: 27kg TD1013



16mm Capacity

- Chuck: 16mm B16
- . Spindle: #2MT
- Motor: 1/2HP, 240V
- · Gearbox: 16 speed · Height: 980mm

tolemaker

- · Weight : 50kg
- TD1316



Pedestal Drill 16mm Capacity

- Chuck: 16mm B16
- · Spindle: #2MT
- Motor: 3/4HP, 240V
- Gearbox : 16 speed
- · Height: 1580mm
- · Weight: 60kg TD1316F



Pedestal Drill 20mm Capacity

- Chuck : 20mm B22
- . Spindle: #3MT
- Motor: 1HP, 240V · Gearbox: 12 speed
- · Height: 1600mm • Weight : 80kg
- TD1420F



25mm Capacity

- Chuck : 20mm B22 Spindle: #3MT
- Motor: 2HP, 240V
- Gearbox : 12 speed Height: 1710mm
- Weight : 120kg TD1825F

Pedestal Drill 32mm Capacity Chuck: 20mm B22

- . Spindle: #4MT
- Motor: 2HP, 240V · Gearbox: 12 speed
- Height: 1710mm • Weight : 145kg TD2032F



General Engineering Holesaw Set

• 16, 19, 22, 25, 32, 35, 38, 44, 51, 57, 64, 76mm holesaws • 11/32" & 7/16" arbors • 12" Arbor extension bar UN108-100





3 Flute 90° **High Speed Steel**

- 3 to 12.4mm 3 to 20.5mm STSET-05 • 3mm to 25mm set • 3 to 10.4mm
- 3 to 16.5mm
 3 to 25mm
 STSET-03

TRADEMASTER

240V TGD400-1 415V TGD400-3

Geared Head **Drilling Machine**

· Quality precision machine for drilling & tapping • # 4 Morse taper spindle · Micro feed precision · Geared head tilts 90° right & left . Forward and reverse operation • 40mm capacity • 1.5HP motor • 6 speed gearbox

- 1770mm heigh 320kg
- · Accessories include arbor, drill

chuck, drill sleeves



3/8" Carbide Burr Set

. Cylindrical End Cut . Cylindrical Radius End . Ball Shape • Tree Shape Radius End • Cylindrical Aluminium Cut CB-SET-01

Holemaker

T.C.T. Holesaws

4.5mm Depth Of Cut

- . Available from 14mm to 120mm · Suitable for drilling steel, stainless
- steel, aluminium, FRP, PVC, plastics & fibreglass

Part No.	Diameter	Depth of Cut	Price	ı
MCS16	16mm	4.5mm	\$47.00	н
MCS20	20mm	4.5mm	\$47.00	۹
MCS22	22mm	4.5mm	\$53.00	
MCS25	25mm	4.5mm	\$53.00	
MCS32	32mm	4.5mm	\$60.00	
MCS40	40mm	4.5mm	\$67.00	
MCS50	50mm	4.5mm	\$79.00	

Holemaker

Step Drills Spiral Flute

Titanium Nitride Coated

Part No.	Sizes Inc.	Price	U
SD4-20MM	4 to 20mm	\$32.00	- 1
SD5-25MM	5 to 25mm	\$49.90	
SD6-30MM	6 to 30mm	\$87.50	

Holemaker

MCTR50 50mm

T.C.T. Holesaws 25mm Depth Of Cut

· Available from 14mm to 120mm Suitable for drilling steel plate, stainless steel, A.C. sheeting, aluminium, FRP, PVC,

fibreglass & concrete coated pipes Part No. Diameter Depth of Cut MCTR16 16mm 25mm MCTR20 20mm 25mm MCTR22 22mm 25mm MCTR25 25mm MCTR32 32mm MCTDAO 40mm

25mm





415V TGMD400-3



. All the features of the TGD400 combined with : Milling table and recirculating coolant system



TRADEMASTER.

Forged Steel C Clamps

 Hardened Acme spindle • Swivel pad ensures even pressure is applied on angular workpieces • Tempered & hot forged steel • Nickel & chrome plating

Part No.	Span x Depth	Clamping Force	Price
EC-BC4	100x50mm	900kg	\$48.00
EC-BC5	125x65mm	850kg	\$51.50
EC-BC6	150x75mm	1000kg	\$59.50
EC-BC8	200x100mm	1000kg	\$74.50
EC-BC10	250x115mm	1200kg	\$94.00
FC-RC12	300v125mm	1500kg	\$120.00

TRADEMASTER

General Purpose Forged Steel Clamps

 For general purpose clamping applications • Swivel pad ensures even pressure is applied on angular workpieces

Part No.	Span x Depth	Clamping Force	Price	1
EC-G16CS	160x80mm	300kg	\$34.00	10
EC-G20CS	200x100mm	450kg	\$44.00	-
EC-G25CS	250x120mm	550kg	\$54.50	
	300x140mm	670kg	\$68.00	
EC-G40CS	400x175mm	1000kg	\$89.50	
EC-G60CS		1000kg	\$103.00	
EC-G80CS	800x175mm	1000kg	\$120.00	

Up to 1500mm span available

TRADEMASTER.

Quick Action Forged Steel Clamps

Ratchet type lever prevents

overloading & resists vibration
• For high pressure, fast action clamping purposes

rait ivu.	оран х осрин	Force	FILE
EC-G16L	160x80mm	300kg	\$72.00
EC-G20L	200x100mm	350kg	\$82.00
EC-G30L	300x140mm	500kg	\$114.00
EC-G40L	400x120mm	550kg	\$120.50
EC-G50L	500x120mm	550kg	\$127.00



Heavy Duty 1200KG Force Forged Steel Clamps

- Larger rail sizes & acme spindle
- For heavy duty applications
 Changeable clamping heads
- Socket drive handle

Part No.	Span x Depth	Clamping Force	Price	
EC-GS30C	300x140mm	1200kg	\$125.00	
EC-GS40C	400x120mm	1200kg	\$135.00	
EC-GS50C	500x140mm	1200kg	\$145.50	
EC-GS60C	600x120mm	1200kg	\$155.00	

<u>TRADEMASTER</u>

Extra Heavy Duty 2200KG Force Forged Steel Clamps

- · Larger rail sizes & acme spindle
- For heavy duty applications
 Changeable clamping heads
- Socket drive handle

OUGHOL GITTO HUHUIO					
Part	No.	Span x Depth	Clamping Force	Price	1
EC-S	S30C	300x175mm	2200kg	\$210.00	
EC-S	S40C	400x175mm	2200kg	\$225.00	
EC-S	S50C	500x175mm	2200kg	\$240.00	
EC-S	S60C	600x175mm	2200kg	\$252.00	
Up to 1500mm span available					

TRADEMASTER

Pivot Handle Forged Steel Clamps

 The comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas

Part No.	Span x Depth	Clamping Force	Price
C-REG20C	200x100mm	670kg	\$53.00
C-REG30C	300x140mm	670kg	\$76.50
C-REG40C	400x175mm	700kg	\$97.50
C-REG60C	600x175mm	700kg	\$114.00

CLEARANCE SPECIAL WHILE STOCKS LAST

Quick Gear Clamp

- · Quick gear clamping &
- releasing mechanism
 Removable pads
- 80mmm depth
- 300mm span



TRADEMASTER Regular price \$44.00

Regular price \$44.0

\$3450



CLEARANCE SPECIAL WHILE STOCKS LAST

WHILE STUCKS LAST

Cast Alloy Bar Clamps Multi Function • Cast alloy construction • 400KG

clamping pressure • Head can be reversed to create a spreader • Removable soft pads • Spring loaded pressure jaw

TRADEMASTER

Part No.	Span x Depth	Spreading Capacity	Clamping Force	Price
EC-TC-6A	150x85mm	170x365mm	400kg	\$36.50
EC-TC-12A	300x85mm	170x515mm	400kg	\$39.50
EC-TC-18A	450x85mm	170x655mm	400kg	\$42.00
EC-TC-24A	600x85mm	170x815mm	400kg	\$45.50



DAJRIEST

Darex V391 Drill Bit Sharpener

 Designed for manufacturing facilities who need to sharpen 100s of bits per week • 3mm - 19mm drill capacity • Custom point angles 118° - 140° • Standard and split point styles • 1/4hp, 240V motor • Solid steel construction • 11kg weight V391



Drill Doctor 360X Drill Bit Sharpener

• Handyman model • 2.5mm to 13mm drill bit capacity • 118° sharpening angle • 240V motor • 1 year warranty **DD360X**



Drill Doctor 500X Drill Bit Sharpener

Tradesman model • 2.5mm to 13mm drill bit capacity
118° or 135° sharpening angle • Creates & sharpens
split point bits • 3 year warranty DD500X



Drill Doctor 750X Drill Bit Sharpener

• Top of the line tradesman model • 2.5mm to 19mm drill bit capacity • 115° to 140° sharpening angle • Creates & sharpens split point bits • 3 year warranty **DD750X**



TRADEMASTER.

Gecko Fillet Welding Carriage

· 4 wheel drive with magnetic base allows for vertical welding torch holder mechanism for different types of MIG / MAG torches with diameters of 16 - 22mm . Constant and repeatable travel speed with closed loop stabilization system enables weld bead geometery that is exact to the required specifications . Battery powered (Can be adapted

(WA-GECKO)

TRADEMASTER

Lizard Programmable Fillet Welding Carriage

 Programmable welding patterns & parameters such as weld length, distance, reverse fill, crater fill time and more, enabling weld bead geometry that is exact to the required specifications . Continuous and stitch weld capability . Oscillation attachment available · 4 wheel drive with magnetic base for vertical welding · Accepts MIG / MAG torches

with diameters of 16 - 22mm • Closed loop speed control system • 0-1200mm/min

horizontal speed (WA-LIZARD)



Rail Bull Track Mounted Fillet Welding Carriage

- · Produce butt and fillet welds with or without oscillation
- . Uses rigid or semi-flexible track for use on ferromagnetic and non-ferromagnetic materials . Accepts MIG / MAG torches with diameters of 16 - 22mm . Closed loop speed control system
- 0-1200mm/min horizontal speed 5000mm minimum pipe concave or convex radius . Very wide range of tracks & accessories



TRADEMASTER Rail Bull 2 Track Mounted Fillet Welding Carriage

- . All the features of WA-BAILBULL but with remote pendant control and modula upgrade design . Produces consistent high quality welds and cuts in a fraction of the time required by manual operations
- . Very wide range of tracks & accessories available to customise the machine to the job . Optional ring tracks allowing use on pipe 200mm OD to 3050mm OD
- · Optional programmable automatic seam trackers . Price is for machine only, see wesite for details: Trademastertools.com (WA-RAILBULL2)





TRADEMASTER

ABM14 Beveller

Plate & Pipe Bevelling Machine

- . Mill plates and pipes made of mild steel, alloy steel, stainless steel or aluminum alloys
- · Auto feed on large plates with optional trolley
- Max bevel speed: 2.6 m/min Maximum bevel width is 14mm . Minimum pipe ID: 100mm
- . Motor: 2200W . Low noise: 70dB
- · Weight: 65kg ABM14



TRADEMASTER

PRO 10 PB

Portable Pipe Beveller . Pneumatic motor (PRO 10 PBA) or high torque electric motor (PRO 10 PBE) available • Standard pipe machining range 84mm to 269mm I.D. 38mm to 392mm I.D. with optional accessories . Maximum wall thickness 20mm . Simultaneously perform 3 of the following operations internal bevel, external bevel. J-groove bevel, face off. I.D. chamfer and counterbore PRO10PRA PRO10PRE





BM20 Plus Beveller Plate & Pipe Bevelling Machine

· 2 Rotary milling heads each holding 5 4-sided carbide inserts • 15 to 60° working range • 1600W induction motor • 3340rpm • 21mm maximum bevel width • 20.5kg BM20+

BM21 Beveller

Plate & Pipe Bevelling Machine

. Newly designed single milling head with 10 square inserts which is fast & easy to set up . Low vibration model . 0 to 60° working range . Universal guide system bevels plate & pipe Ø150 - 300mm • 1600W induction motor • 2800rpm • 21mm maximum bevel width • 21kg BM21

TRADEMASTER.

Portable Pipe Beveller

- · European made pipe bevelling machine designed for portable
- use in pipe machining operations
- . Standard pipe machining range 32mm to 114mm pipe capacity. Up to 140mm with optional accessories . Available with pneumatic motor (WAP-B05/100) or high
- torque electric motor (WAP-B05/105) . The self-centering expandable mandrels
- provide quick and correct alignment to pipe prior to machining operations . Although it is a heavy duty ID mounted
- pipe beveller, it can be used efficently by one operator . Simultaneously perform 3 of the following operations - internal bevel external bevel, j-groove bevel, face off, chamfer and counterbore PRO5PBE



Professional Mechanics Bench Vices

· Rugged all cast iron construction · Integrated anvil for shaping and beating . Extra heavy-duty sliding jaw



TRADEMASTER

Part No.	Jaw Width	Weight	Price	á
TM100-075	75mm	7.5kg	\$85.00	7
TM100-100	100mm	10.0kg	\$115.00	
TM100-125	125mm	15.5kg	\$165.00	
TM100-150	150mm	18.0kg	\$199.00	
TM100-200	200mm	31.0kg	\$295.00	

Fabricated Steel Bench Vices

. Extra heavy-duty . Precise sliding iaw . Precision machined knurled jaws with V-Groove . Large diameter screw



Straight Jaw

Part No.	Jaw Width	Weight	Price	*
TM102-100	100mm	10.5kg	\$145.00	ki
TM102-125	125mm	18.5kg	\$249.00	-
TM102-150	150mm	22.6kg	\$295.00	
TM102-200	200mm	37.0kg	\$509.00	
				_

Offset Jaw

Part No.	Jaw Width	Weight	Price	2
TM104-100	100mm	11.2kg	\$149.00	r
TM104-125	125mm	20.3kg	\$285.00	
TM104-150	150mm	25.0kg	\$309.00	
TM104-200	200mm	60.0kg	\$809.00	

TRADEMASTER



Swivel Bases

TO SUIT ITTECHATICS DETICIT VICES					
Part No.	To Suit	Price			
TM110-075	TM100-075	\$9.00			
TM110-100	TM100-100	\$19.00			
TM110-125	TM100-125	\$20.00			
TM110-150	TM100-150	\$24.00			
TM110-200	TM100-200	\$32.00			

TRADEMASTER



Standard Drill Press Vices

· Cast iron body · Machined steel jaws · Great for machine shops, fabrication workshops & tool rooms

Part No.	Jaw Width	Jaw Height	Capacity	Weight	Price
VDP102	102mm	21mm	105mm	3.2kg	\$40.00
VDP150	150mm	28mm	150mm	7.2kg	\$69.50



TRADEMASTER

Heavy Duty Drill Press Vices

• 3 Way vice Part No. VDPL100

VDPL155

	Jaw Width	Jaw Height	Capacity	Weight	Price
)	100mm	30mm	92mm	6.75kg	\$84.00
5	150mm	36mm	140mm	13kg	\$129.00



Knife & Tool Sharpener

- 240V Electric knife sharpener Very fast & easy to use · Flexible abrasive sharpening belts create a superior convex grind on the blade. The edge is stronger, cuts better and stays sharper longer! . Precision guides: 2 x 25° Outdoor knife guides & 2 x 20° Kitchen knife guides for precise repeatable results
- . Includes 3 abrasive belts WSKTS-I



- · Made in Denmark · 3KW 415V motor · 75 x 2000mm belt . Smooth, low vibration high output operation
- · 2860rpm belt speed · Precise belt tracking adjustment
- · Safety stop switch GRIMAX75
- Also available 150mm Belt Grinder GRIMAX150 \$2942.50

TRADEMASTER



- · Suitable for air/fume extraction or blowing fresh air
- · Ideal ventilation for workshops and confined areas
- . Includes 5 metre expandable ducting . 550W Motor
- · 60m3/min Flow Rate · Large capacity motor creating a
- very high flow rate . Specially designed axial propeller
- . High static pressure TPV300SET

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO

30th June 2018